SPEZIFIKATIONEN

| MODEL NAME | | | GENOS2 |
|---------------------------------------|------------------------|-------------------------|--|
| Product Name | | | Digital Keyboard |
| Size/Weight | Dimensions (W x D x H) | | 1234 mm x 456 mm x 151 mm (48-9/16" x 17-15/16" x 5-15/16") |
| | Weight | | 14.2 kg (31 lbs., 5 oz.) |
| Control Interface | Keyboard | Number of Keys | 76 |
| | | Туре | Organ (FSX), Initial Touch/Aftertouch |
| | | Touch Response | Normal, Easy1, Easy2, Soft1, Soft2, Hard1, Hard2 |
| | Other Controllers | Joystick | Yes (Assignable) |
| | | Knobs | 6 (Assignable, with LED gauge) |
| | | Sliders | 9 (Assignable, with LED gauge), Cross Fader |
| | | Assignable buttons | 9 (A-F, 1-3) |
| | | Articulation buttons | ART. 1, ART. 2, ART. 3 |
| | Main Display | Туре | TFT Color Wide VGA LCD |
| | | Size | 800 x 480 dots, 9 inch |
| | | Touch Screen | Yes |
| | | Language | English, German, French, Spanish, Italian |
| | Sub Display | Туре | VA LCD (LIVE CONTROL View) |
| | | Size | 512 x 48 dots |
| | | Language | English |
| | Panel | Language | English |
| Voices | Tone Generation | | AWM Stereo Sampling, AEM technology, FM |
| | Polyphony (max.) | | 384 (128 for Preset AWM Voices + 128 for Expansion AWM Voices + 128 for FM Voices) |
| | Preset | Number of Voices | 1,990 Voices + 75 Drum/SFX Kits |
| | | Featured Voices | 106 S.Articulation2, 437 S.Articulation, 141 FM, 123 MegaVoice, 24 OrganFlutes, 11 Ambient Drums/SFX, 11 Revo Drums/SFX |
| | | Ensemble Voices | 95 |
| | Compatibility | | XG, GM, GM2, (for Song playback) |
| | Keyboard Parts | | Right 1, Right 2, Right 3, Left |
| Effects | Types | Reverb | 85 Preset + 30 User |
| | | Chorus | 107 Preset + 30 User |
| | | DSP | Variation: 363 Preset (with VCM) + 30 User, Insertion 1–28: 363 Preset (with VCM) + 30 User |
| | | Master Compressor | 5 Preset + 30 User |
| | | Master EQ | 9 Preset + 30 User |
| | | Part EQ | 28 Parts |
| | | Vocal Harmony | 54 Preset + 60 User (*) *The User number represents the total of Vocal Harmony and Synth Vocoder. |
| | | Synth Vocoder | 20 Preset + 60 User (*) *The User number represents the total of Vocal Harmony and Synth Vocoder. |
| | | Others | Mic Effect: Noise Gate, Compressor, 3 Band EQ, Vocal Effect: 23 |
| Styles | Preset | Number of Styles | 800 |
| | | Featured Styles | 720 Pro, 69 Session, 11 Free Play |
| | | Fingering | Single Finger, Fingered, Fingered On Bass, Multi Finger, Al Fingered, Full Keyboard, Al Full Keyboard |
| | | Style Control | INTRO x 3, MAIN VARIATION x 4, FILL x 4, BREAK, ENDING x 3 |
| | Other Features | One Touch Setting (OTS) | 4 for each Style |
| | | Chord Looper | Yes |
| | | Style Section Reset | Yes |
| | Compatibility | | Style File Format (SFF), Style File Format GE (SFF GE) |
| Expandability (Expansion Packs) | Expansion Voice | | Yes (approx. 3 GB) |
| | Expansion Style | | Yes (Internal Memory) |
| | Expansion Audio Style | | Yes (Internal Memory) |

SPEZIFIKATIONEN

| MODEL NAM | E | | GENOS2 |
|---------------------|---------------------------------|------------------------------|---|
| Songs (MIDI) | Preset | Number of Preset Songs | 9 Demo Songs, 1 Preset Song |
| congo (imizi, | Recording | Number of tracks | 16 |
| | , noonang | Data capacity | approx. 3 MB per Song |
| | | Function | Quick Recording, Multi Track Recording, Step Recording |
| | Format | Playback | SMF (Format 0, Format 1), XF |
| | Torride | Recording | SMF (Format 0) |
| Songs (Audio) | Recording | Data Capacity | approx. 0.8 GB (80 minutes) per Song |
| | Format | Playback | WAV (44.1 kHz, 16 bit, stereo), MP3 (44.1/48.0 kHz, 64/96/128/256/320 kbps or VBR, mono/stereo) |
| | | Recording | WAV (44.1 kHz, 16 bit, stereo) |
| | | Playback (Multi) | .aud (Genos original: 44.1 kHz sample rate, 16 bit resolution, stereo) |
| | | Recording (Multi) | .aud (Genos original: 44.1 kHz sample rate, 16 bit resolution, stereo) |
| | Time Stretch | , | Yes |
| | Pitch Shift | | Yes |
| | Vocal Cancel | | Yes |
| Multi Pads | Number of Multi I | Pad Banks | 507 Banks x 4 Pads |
| | Audio Link | | Yes |
| Functions | Voices | Harmony/Echo | Yes |
| | 70.000 | Arpeggio | Yes |
| | | Panel Sustain | Yes |
| | | Mono/Poly | Yes |
| | Styles | Style Creator | Yes |
| | Styles | OTS Information | Yes |
| | Conso | | |
| | Songs | Score Display function | Yes |
| | | Lyrics Display function | Yes |
| | Marki Darda | Lesson/Guide | Follow Lights, Any Key, Karao-Key, Your Tempo |
| | Multi Pads Registration Memory | Multi Pad Creator | Yes |
| | | Number of buttons | 10 |
| | B | Control | Registration Sequence, Freeze |
| | Playlist | Number of Records | 2,500 (max.) Records per Playlist file |
| | Search | | Yes |
| | Demo | | Yes |
| | Overall Controls | Metronome | Yes |
| | | Tempo Range | 5 – 500, Tap Tempo |
| | | Transpose | -12 - 0 - +12 |
| | | Tuning | 414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments) |
| | | Octave button | Yes |
| | | Scale Type | 9 Types |
| | | USB audio interface | 44.1 kHz, 32 bit, stereo |
| | Miscellaneous | Direct Access | Yes |
| | | Text/Image Display function | Yes |
| | | Wallpaper Customization | Yes |
| Expandability | Storage | Internal memory (USER Drive) | Yes (approx. 15 GB) |
| Expansion Packs) | | External drives | USB flash drive |
| | Connectivity | Headphones | Standard stereo phone jack (PHONES) |
| | | Microphone | Yes (Combo Jack), Phantom Power (+48V) available |
| | | MIDI | MIDI A (IN/OUT), MIDI B (IN/OUT) |
| | | AUX IN | L/L+R, R, Standard phone jack |
| | | LINE OUT | MAIN (L/L+R, R), SUB (1, 2), SUB (3, 4 / AUX OUT), Standard phone jack |

SPEZIFIKATIONEN

| MODEL NAME | | | GENOS2 |
|--|----------------|---------------|---|
| Expandability (Expansion Packs) | Connectivity | Display out | HDMI (1280 x 720p max.) |
| | | FOOT PEDAL | 1 (SUSTAIN), 2 (ART.1), 3 (VOLUME), function assignable |
| | | USB TO DEVICE | Yes (x3) |
| | | USB TO HOST | Yes |
| | | Wireless LAN | Yes (*) Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible) Range of transmit frequency (channels): Models for Europe and Brazil: 2401–2483 MHz (channels 1–13) Others: 2401–2473 MHz (channels 1–11) Maximum RF output power: 14 dBm Security: WEP, WPA-PSK (TKIP), WPA-PSK (AES), WPA2-PSK (AES), WPA/WPA2 mixed PSK SAR value: 0.258 W/kg |
| | | Bluetooth® | * May not be included, depending on your area. Check with your Yamaha dealer. Yes (*) Bluetooth® version: 5.0 Supported profile: A2DP Compatible codec: SBC Wireless output: Bluetooth® class 2 Maximum communication distance: about 10 m Radio Frequency (Operational Frequency): 2401.5-2480.5 MHz Maximum output power (EIRP): +6.94 dBm Type of modulation: GFSK, π/4 DQPSK, 8DPSK May not be included, depending on your area. Check with your Yamaha dealer. |
| Power Supply | Auto Power Off | | Yes |
| Included Accessories | | | ■ Owner's Manual ■ AC power cord ■ Music Rest, two Music Rest brackets |
| Separately Sold Accessories (May not be available depending on your area.) | | | Option Speaker: GNS-MS01 Headphones: HPH-50, HPH-100, HPH-150 Footswitch: FC4A, FC5 Foot Controller: FC7 Keyboard Stand: L-7B Compatible USB flash device memory expanded up to 64GB, 128GB, 256GB |

